

2nd Ind Part B

Job Code - 006-18-000077.28872

M. A. R. 57 (Rule 116)

Measurement Book

No. B

Package No. 01 (Package consists of 18 works) 425331

From To

Contractor of nature of Agency Benaaka Developers And Project Pvt Ltd
e of commencement of work

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8
Work order No. <u>BBMR/EE/BTP/WO/135/2017-18.</u>					<u>Date - 27-03-2018</u>	
① Dismantling of existing structures like concrete Bridges Retaining Walls and other Structures comprising Masonry Concrete concrete Wood work Steel work including T and P and scaffolding necessary setting the dismanted material. Rate - Shd: 70					Previous Present	Quantity - Nil Nil Nil

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
②	clearing and grubbing growth Vegetation and grass up to 300mm Jungle grasses mosses and ferns mosses and ferns	grass brush mosses mosses mosses mosses	land including uprooting and removal of mosses and ferns	grass brush mosses mosses mosses mosses	grass brush mosses mosses mosses mosses	grass brush mosses mosses mosses mosses	grass brush mosses mosses mosses mosses
③	Excavation by manual dug in hollow and an average width 0.50m and an average depth 0.50m and an average width 0.50m and an average depth 0.50m	Excavation by manual dug in hollow and an average width 0.50m and an average depth 0.50m and an average width 0.50m and an average depth 0.50m	Excavation by manual dug in hollow and an average width 0.50m and an average depth 0.50m and an average width 0.50m and an average depth 0.50m	Excavation by manual dug in hollow and an average width 0.50m and an average depth 0.50m and an average width 0.50m and an average depth 0.50m	Excavation by manual dug in hollow and an average width 0.50m and an average depth 0.50m and an average width 0.50m and an average depth 0.50m	Excavation by manual dug in hollow and an average width 0.50m and an average depth 0.50m and an average width 0.50m and an average depth 0.50m	Excavation by manual dug in hollow and an average width 0.50m and an average depth 0.50m and an average width 0.50m and an average depth 0.50m

Page - 7 : 20

M. A. R. 57 (Rule 116)
Measurement Book

No. B

425332

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work
From To

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Previous Quantity					3088.96 m ³	
	Present Quantity					957.12 m ³	
						4046.08 m ³	
						3088.96 m ³	
						957.12 m ³	
						2187.97 m ³	

Page - 228 : 60

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(1)	Earthwork excavation for foundation of building Water Sealing Guttering lines and electrical conduits Covers in pits or in trenches 1.80 m and above in width in ordinary soil not exceeding 1.80 m in depth including breaking etc. - Contd.						
(3)	Rate. 225/- Presenting and fitting to wall ceiling and floor unplastered pre fixed 10.00 m x 13.00 m hanging from ceiling plaster in ceiling or earthwork with pipe gutters wall corners masonry gable the wall						
						103.58 m ³	
						Nil	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

425333

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8
ceiling and floor in ceiling work & cell materials.						
Perse. 1646 = 10						
② Providing and fixing sand in foundation work & plain for preserved work for soil treatment including masonry masonry 13m all lead out only etc. concrete.						
Perse. 2423 = 70						

[Signature]

Date	Full description, etc, of work	Dimensions				Contents	Remarks
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
⑦	Receiving antique earth around pipe line lately not exceeding 2000 in depth each deposited later by growing often with lead up to 50 m and soft under 1-2 m cont & all layers covered as per specification.						3 Re
	Page. 86-100						
⑧	Providing and fixing in trenches galvanised pipes (medium grade) 50 mm dia nominal both all fittings can be done in trenches and paid for separately in case of any						3 Re

M. A. R. 57 (Rule 116)
Measurement Book

No. B

425334

Serial No.

Name of Work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	Rate - 1190 ÷ 80		Previous Any.	Present Any		73.60 m	
	⑨ Removing and replacing of footpaths.		Previous Any.	Present Any		634.20 m	
	Rate - 1120 ÷ 20					nic	

[Signature]

Scanned by CamScanner

No. B

425335

Name of Work From..... To.....

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measurement
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
(11)	Providing Formwork Slabs & Scaffolding Quoted Quantity measured and fixed in Cement Mortar (1:6) in curing bricks carrying etc.- can case 7-5 cms wide.						
	~~Masonry~~		Precious Qty			940.32 m ²	
			Precious Qty			3522.00 m ²	
			J.P.A.			2581.68 m ²	
	Page - 712 : 80					940.32 m ²	670260:10

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
12	Providing concrete Slabs & Solved Quality Maining dressed and fixed in cement masonry 1:6 including fixing curing etc. concrete beams/justle.						
	Page - 884:70						
13	Providing and constructing concrete Slabs & Solved Quality Maining masonry in Bandarban cement masonry 1:6 with hammered dressed in concrete masonry 1:6 with band Slabs of 2.0 mtr depth in each course						
		Previous	Any	Any	Any	91.20m ²	
		Present	Any	Any	Any	nil	

No. B

425336

From..... to.....
 Date of Work

of commencement of work

Page. 4752:90

Refer to the
Measuring

No. B

425337

From..... To.....

Name of Contractor of nature of Agency

Date of commencement of work

[illegible]

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to last Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
16	Providing and laying 2 mtr 1:3:16 wire mesh and down 8:32 grade of 0-892 cum and fine aggregate 0-1.25 cum measure and provide concrete laid in concrete counter Providing Qty. 365.44 m^3 Present Qty. 20.29 m^3 Balance 385.68 m^3 PPQ 365.44 m^3 Balance Qty. 20.29 m^3						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No.

Name of Work From To

Name of Contractor of nature of Agency

Date of commencement of work

425338

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(17) Provision laying plain / ground level for Box Green Walls & Gutters 10 cm to 20 cm including concrete guttering for various elev. concrete as per approved drawings and design.						
						Provisionary Qty 35.65 m ³	
						Present Qty Nil	

~~11/11/2018~~
Page - 11/11/2018.30

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
18	Providing and removing centering brackets in sheeting prepping etc. and removal of form work for foundation footings bags of collecting for man course including cut of measuring etc. center						
	Page 261:90						
19	Providing and removing centering brackets sheeting prepping etc. and removal of form work for vertical surfaces gear as using as any friction including attached measuring including cut & remove						
	Providing Qty. 28.36 m ³						
	Providing Qty. nil						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

425339

Serial No.

Name of Work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	20 Rate . 333 :- 00 Providing and laying concrete course using 20mm and down 832 granite coarse aggregate and fine aggregate & ready mixed concrete P.M.C. for 3rd reinforcement. Jute layers concrete as per specification. Previous day . 30.60 M Previous day, nil Rate . 6450 :- 30 		Previous Present	Any Any	226.84 m ³ nil		

MEASUREMENT BOOK

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8 ne
(21)	Premixing 1 MT steel reinforcement bars including stamping casting handling hoisting and delivery including delivery and on loading unloading greenwood etc. - concrete or per specifications						
(22)	Rate - Rs 805.00 Premixing and laying, Re precast cover slabs 100 mm thick for Green in concrete cover M20 using graded granite pebbles 20 mm and down size with steel reinforcement including formwork etc.						

No. B

425340

From.....To.....

Name of Contractor of nature of Agency

Date of commencement of work

[illegible]

Scanned by CamScanner

e **a** **a** **a** **i** **-**

425342

Date of commencement of work

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measuring trial
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
(29)	Promoting and applying Primer Coats over SS & Steel reinforcement bars as per specification and drawing of the Engineer.					Total Qty. 6170.37 m^3 ① P.O.A - $\underline{4070.63 \text{ m}^3}$ Balance Qty. = 2099.74 m^3	Rate ate ame
							3675594

No. B 425343

Date of commencement of work

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measuring 8 in
		Number 3	Length 4	Breadth 5	Depth 6		
1	2	Compressed air ho receiver & removals from machinery including carb & oil materials etc - compressed as per Spec'n given				7	
		Premiums Qty.				12605.71 m ²	
		Premiums Qty.				10608.92 m ²	
		D.P.A.				23214.63 m ²	
		D.P.A.				12605.71 m ²	
		Balance Qty.				10608.92 m ²	
						38192.15	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 425344

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(31)	providing and applying face coat using 80/100 grade bitumen (15/10) on prepared black topped surface as 2.5 kg per 10 sqm with heading bitumen in boiler fitted with spray gun (excluding cleaning gun and including cart & all materials.						
			prevents	any.	27657.06 m ²		
			prevents	any.	22676.20 m ²		
					50333.26 m ²		
					27657.06 m ²		
					22676.20 m ²		
					306128.63		

[Signature]

Page. 13:00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refering to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(32)	Priming and laying brickwork on chimney 30-40' high compared dimensions 18" x 18" 30' Brickwork 30' x 18" x 18" No. 60 MP being crushed and broken & grading 11" x 18" x 18" present with 8" x 18" x 18" in order of 5-11" & with and greener from 10' to 12'. Priming 24' x 11' 06" x 28" m^3 Present 24' x 9' 07" x 05" m^3 D.P. 24' x 20' 13" x 38" m^3 D.P. 24' x 11' 06" x 28" m^3 Balance 24' x 9' 07" x 05" m^3						8184655

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	We found Mns 2 Pass by vertical elements including measuring various or geological ground in the many 1.0 mm in circumference from drilling machine to cover hole depth & diameter to be tagged etc. - connect as per specification. Previous day 17-00 Mns Present day Nil Page 2016 20						